

Safety Data Sheet Titanium Anodizing Powder

SECTION 1: Identification

1.1 Product identifier

Product name	Titanium Anodizing Powder
Product number	TAP
Brand	Caswell

1.4 Supplier's details

Name	Caswell Inc	Supplied in Australia by
Address	7696 Route 31 Lyons, NY 14489 USA	Caswell Australia P/L ABN: 83 113 463 291 Factory 1, 51 ELM PARK DRIVE HOPPERS CROSSING 3029 VICTORIA
Telephone	315 946 1213	
Fax	315 946 4456	PH 03 9741 7103
email	sales@caswellplating.com	A/H 0427 70 80 90 Emergency 000

1.5 Emergency phone number(s)

Office Hours (9-4ET): 315 946 1213

24 Hour: CHEMTEL US# 1-800-255-3924 Int# +01-813-248-0585

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

- Acute toxicity, oral (chapter 3.1), Cat. 5
- Toxic to reproduction (chapter 3.7), Cat. 2
- Eye damage/irritation (chapter 3.3), Cat. 2B

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H303
H361

May be harmful if swallowed
Suspected of damaging fertility or the unborn child

Safety Data Sheet

Titanium Anodizing Powder

H320 Causes eye irritation

Precautionary statement(s)

P312	Call a POISON CENTER/doctor/... if you feel unwell.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container to ...
P264	Wash ... thoroughly after handling.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

3.1 Substances

Hazardous components

1. Component 1 (trade secret)

Concentration 60 - 80 %

2. OTHER NON-REPORTABLE INGREDIENTS

Concentration 20 %

Trade secret statement (OSHA 1910.1200(i))

Specific chemical names and formulas have been omitted as a trade secret under OSHA 1910.1200.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention
If inhaled	Assure fresh air breathing. Allow the victim to rest.
In case of skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
In case of eye contact	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
If swallowed	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2 Most important symptoms/effects, acute and delayed

Symptoms/injuries: May damage fertility or the unborn child.
Symptoms/injuries after inhalation: May cause respiratory irritation.
Symptoms/injuries after skin contact: Slight irritation.
Symptoms/injuries after eye contact: May cause slight irritation.
Symptoms/injuries after ingestion: Irritation of the gastric/intestinal mucosa.

Safety Data Sheet

Titanium Anodizing Powder

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Foam. Dry powder. Carbon dioxide. Water spray. Sand.

5.3 Special protective actions for fire-fighters

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use chemically protective clothing.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3 Methods and materials for containment and cleaning up

On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in the original container in a cool, well ventilated place away from : incompatible materials. Keep container closed when not in use. Incompatible products: Oxidizing agent. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Component 1 (trade secret)

TWA: 2 mg/m³

2. Component 1 (trade secret)

STEL: 6 mg/m³

8.2 Appropriate engineering controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Chemical goggles or safety glasses.

Skin protection

Wear protective gloves.

Safety Data Sheet

Titanium Anodizing Powder

Body protection

In case of dust production: dustproof clothing.

Respiratory protection

Wear appropriate mask.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	White Solid
Odor	Odorless
Odor threshold	
pH	9.5
Melting point/freezing point	Melt 75 deg C
Initial boiling point and boiling range	320 deg C
Flash point	
Evaporation rate	
Flammability (solid, gas)	
Upper/lower flammability limits	
Vapor pressure	
Vapor density	
Relative density	1.73 g/cm ³
Solubility(ies)	Water. Glycerol.
Partition coefficient: n-octanol/water	
Auto-ignition temperature	
Decomposition temperature	
Viscosity	
Explosive properties	
Oxidizing properties	

SECTION 10: Stability and reactivity

10.1 Reactivity

None

10.2 Chemical stability

Not Established

10.3 Possibility of hazardous reactions

Not Established

10.4 Conditions to avoid

Direct Sunlight. Extremely high or low temperatures.

10.5 Incompatible materials

Strong Acids. Strong Bases.

10.6 Hazardous decomposition products

fume. Sodium oxide. boron.

SECTION 11: Toxicological information

Safety Data Sheet

Titanium Anodizing Powder

Information on toxicological effects

Acute toxicity

LD50 oral rat 2660 mg/kg

LD50 dermal rabbit 10000 mg/kg

Skin corrosion/irritation

Not Classified

Serious eye damage/irritation

Not Classified

Respiratory or skin sensitization

Not Classified

Germ cell mutagenicity

Not classified

Carcinogenicity

Not classified

Reproductive toxicity

May damage fertility or the unborn child. Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

STOT-repeated exposure

Not classified

SECTION 12: Ecological information

Toxicity

EC50 Daphnia 1 - 1085 mg/l

Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations

Disposal of the product

Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to comply with local, state and federal regulations.

Waste treatment

Avoid release to the environment.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

Safety Data Sheet

Titanium Anodizing Powder

IATA
Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Pennsylvania Right To Know Components

Component 1 (Trade Secret)


Toxic Substances Control Act (TSCA) Inventory

Component 1 (Trade Secret)

HMIS Rating

Titanium Anodizing Powder	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	F

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Caswell Inc be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Caswell Inc has been advised of the possibility of such damages.